# 174 Schreiner Place - Rodgers Rodgers wood clad

Quote #: VVZVUWC

A Proposal for Window and Door Products prepared for: **Shipping Address:** GUIDO LUMBER COMPANY 8526 VIDOR AVE SAN ANTONIO, TX 78216-6045



DESIREE WILLIAMS GUIDO LUMBER COMPANY 8526 VIDOR AVE SAN ANTONIO, TX 78216-6045 Phone: (210) 344-8321

Email: dwilliams@guidoco.com

This report was generated on 11/10/2022 5:21:43 PM using the Marvin Order Management System, version 0003.17.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:

MARVIN®

# **GLOBAL SPECS**

The following product and option choices were designated as part of this project's Global Spec. Global Specs can be over-ridden on a line item basis. Exceptions to the specification are outlined in Line Item Quotes. Please proof all units thoroughly to ensure accuracy.

# **Ultimate Spec**

MARVIN®

Exterior/Interior Colors/Finishes - Exterior Color Exterior/Interior Colors/Finishes - Species Exterior/Interior Colors/Finishes - Interior Finish Exterior/Interior Colors/Finishes - Back Prime Window Glass Type - Glazing Window Glass Type - Glass Types Window Glass Type - Capillary Tube Window Glass Type - Perimeter Bar Color Divided Lites - Divided Lite Type Divided Lites - Bar Width Divided Lites - With Spacer Window Hardware - Top Sash Strike Plate Assembly Color Window Hardware - Window Hardware Color Window Hardware - Sash Lift Window Hardware - Window Control Device Window Hardware - Finger Pull Window Screens - Exterior Screen Type Window Screens - Exterior Screen Surround Color Window Screens - Mesh Type Jambs - Jamb Depth Casing/Subsill - Top Casing Type Casing/Subsill - Subsill Assembly Accessories - Interior Accessory Installation Method - Installation Options Unit Multiplier - Unit Multiplier Finish / Species Multiplier - Finish / Species Multiplier Glass Multiplier - Glass Multiplier Divided Lite Multiplier - Divided Lites Multiplier Hardware Multiplier - Hardware Multiplier Screen Multiplier - Screen Multiplier Shade Multiplier - Shade Multiplier Casing Multiplier - Exterior Casing Multiplier Jamb Extension Multiplier - Jamb Extension Multiplier **Miscellaneous Options - Interior Glazing Profile Options** Miscellaneous Options - Sash Exterior Color **Miscellaneous Options - Sash Species** Miscellaneous Options - Sash Interior Finish Miscellaneous Options - Exterior Sash Lugs Miscellaneous Options - Both Sash Stationary

Cashmere Pine Painted Interior Finish - White False IG Tempered Low E3 w/Argon False Stainless SDL 5/8" True White White None False No Finger Pull Extruded Aluminum Screen Cashmere Bright View Mesh 4 9/16" None None None Nailing Fin False False False False False False False False False Ogee Cashmere Pine Painted Interior Finish - White None False

## **UNIT SUMMARY**

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 13			TOTAL UNIT QTY: 24	
LINE	MARK UNIT	PRODUCT LINE	ITEM	QTY
1	Dining Room	Ultimate	Double Hung G2 RO 45" X 74" Entered as	2
2	Heather's Office	Ultimate	FS 44" X 73 1/2" Double Hung G2 RO 45" X 74" Entered as FS 44" X 73 1/2"	2
3	Bed 1 Bath	Ultimate	Double Hung G2 RO 25" X 38" Entered as FS 24" X 37 1/2"	1
4	Bed 2 Randy's Dressing	Ultimate	Double Hung G2 RO 45" X 74" Entered as FS 44" X 73 1/2"	2
5	Bed 2 Bath	Ultimate	Double Hung G2 RO 29" X 44 1/2" Entered as FS 28" X 44"	1
6	Master Bed	Ultimate	Double Hung G2 RO 45" X 74" Entered as FS 44" X 73 1/2"	4
7	Master Bath	Ultimate	Double Hung G2 RO 28 1/2" X 37" Entered as FS 27 1/2" X 36 1/2"	2
8	Living	Ultimate	Double Hung Picture G2 RO 55" X 78 1/2" Entered as FS 54" X 78"	4
9	Den	Ultimate	Double Hung G2 RO 45" X 75 1/2" Entered as FS 44" X 75"	2
10	Kitchen	Ultimate	FS 44 X75 Double Hung G2 RO 45" X 38" Entered as FS 44" X 37 1/2"	1
11	Laundry	Ultimate	Double Hung G2 RO 28 1/2" X 38" Entered as	1
12	Delivery	Non-Marvin	FS 27 1/2" X 37 1/2" Other Delivery	1
13	Installation	Non-Marvin	Labor Installation	1

# **LINE ITEM QUOTES**

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.



**Ogee Interior Glazing Profile** 



As Viewed From The Exterior

Entered As: FS RO 45" X 74" Egress Information Width: 40 13/32" Height: 31 25/64" Net Clear Opening: 8.81 SqFt

#### Performance Information

Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Line #3 Mark Unit: Bed 1 Bath Qty: 1

Bottom Sash

IG

White Sash Lock

4 9/16" Jambs Nailing Fin

Extruded Aluminum Screen Cashmere Surround Bright View Mesh

\*\*\*Šcreen/Combo Ship Loose

Cashmere Clad Sash Exterior

Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W3H

Ogee Interior Glazing Profile White Interior Weather Strip Package Beige Exterior Weather Strip Package

White Top Sash Strike Plate Assembly Color

\*\*\*Note: Unit Availability and Price is Subject to Change

Painted Interior Finish - White - Pine Sash Interior

Cashmere Clad Ext - Painted Interior Finish - White - Pine Int

## MARVIN<sup>®</sup>



As Viewed From The Exterior Entered As: FS RO 25" X 38" Egress Information Width: 20 13/32" Height: 13 11/16" Net Clear Opening: 1.94 SqFt Performance Information U-Factor: 0.29 Solar Heat Gain Coefficient: 0.18 Visible Light Transmittance: 0.41 Condensation Resistance: 56 CPD Number: MAR-N-425-17184-00001 ENERGY STAR: NC, SC, S **Cashmere Clad Exterior** Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 24" X 37 1/2" Rough Opening 25" X 38" Glass Add For All Sash/Panels \*\*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** Bottom Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change Processed on: 11/10/2022 5:21:43 PM



\*\*\*Sash Ship L Top Sash

Cashmere Clad Sash Exterior

- Painted Interior Finish White Pine Sash Interior
- IG Low E3 w/Argon
- Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless
- Rectangular Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int
  - Ogee Interior Glazing Profile
- Bottom Sash
- Cashmere Clad Sash Exterior
- Painted Interior Finish White Pine Sash Interior

```
IG
Low E3 w/Argon
```

OMS Ver. 0003.17.00 (Current)

Entered As: FS

RO 29" X 44 1/2"

As Viewed From The Exterior

Egress InformationStaiWidth: 24 13/32"Height: 16 15/16"5/8"Net Clear Opening: 2.87 SqFtRectPerformance InformationCashProduct Performance Information is currentlyOgeunavailable in the OMS for this product andWhiteglazing option. To request product performanceBeige Einformation not in the OMS, contact your MarvinWhiterepresentative or submit an Assistance Request.White

Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change

Line #6 Mark Unit: Master Bed Qty: 4





As Viewed From The Exterior Entered As: FS RO 45" X 74" Egress Information Width: 40 13/32" Height: 31 25/64" Net Clear Opening: 8.81 SqFt Performance Information U-Factor: 0.29 Solar Heat Gain Coefficient: 0.18 Visible Light Transmittance: 0.41 Condensation Resistance: 56 CPD Number: MAR-N-425-17184-00001 ENERGY STAR: NC, SC, S **Cashmere Clad Exterior** Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 44" X 73 1/2" Rough Opening 45" X 74" Glass Add For All Sash/Panels \*\*\*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W3H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** Bottom Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W3H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int Ogee Interior Glazing Profile White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Extruded Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change

Line #7 Qtv: 2 Mark Unit: Master Bath

## MARVIN<sup>®</sup> 🥘

Cashmere Clad Exterior Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 27 1/2" X 36 1/2" Rough Opening 28 1/2" X 37" Glass Add For All Sash/Panels



Entered As: FS RO 28 1/2" X 37" Egress Information Width: 23 29/32" Height: 13 3/16" Net Clear Opening: 2.19 SqFt Performance Information U-Factor: 0.29 Solar Heat Gain Coefficient: 0.18 Visible Light Transmittance: 0.41 Condensation Resistance: 56 CPD Number: MAR-N-425-17184-00001 ENERGY STAR: NC, SC, S

\*\*\*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** Bottom Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Šcreen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*Note: Unit Availability and Price is Subject to Change

Line #8 Mark Unit: Living Qty: 4

#### MARVIN<sup>®</sup> 🍥



As Viewed From The Exterior

Entered As: FS RO 55" X 78 1/2" Egress Information No Egress Information available. Performance Information U-Factor: 0.28 Solar Heat Gain Coefficient: 0.19 Visible Light Transmittance: 0.42 Condensation Resistance: 60 CPD Number: MAR-N-427-04289-00009 ENERGY STAR: NC, SC, S Painted Interior Finish - White - Pine Interior Ultimate Double Hung Picture G2 Frame Size 54" X 78' Rough Opening 55" X 78 1/2" \*Sash Ship Loose Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W4H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package 4 9/16" Jambs Nailing Fin \*\*Note: Unit Availability and Price is Subject to Change

**Cashmere Clad Exterior** 

#### Line #9 Mark Unit: Den

Qty: 2

#### MARVIN®



As Viewed From The Exterior Entered As: FS RO 45" X 75 1/2" Egress Information Width: 40 13/32" Height: 32 9/64" Net Clear Opening: 9.02 SqFt Performance Information U-Factor: 0.29 Solar Heat Gain Coefficient: 0.18 Visible Light Transmittance: 0.41 Condensation Resistance: 56 CPD Number: MAR-N-425-17184-00001 ENERGY STAR: NC, SC, S **Cashmere Clad Exterior** Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 44" X 75 Rough Opening 45" X 75 1/2" Glass Add For All Sash/Panels \* \* \*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W3H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** Bottom Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Tempered Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W3H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Extruded Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Šcreen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change

Line #10 Mark Unit: Kitchen Qty: 1 **Cashmere Clad Exterior** MARVIN® Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 44" X 37 1/2 Rough Opening 45" X 38" Glass Add For All Sash/Panels \* \* \*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 3W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** As Viewed From The Exterior Bottom Sash Entered As: FS Cashmere Clad Sash Exterior RO 45" X 38" Painted Interior Finish - White - Pine Sash Interior **Egress Information** IG Width: 40 13/32" Height: 13 11/16" Net Clear Opening: 3.84 SqFt Low E3 w/Argon Stainless Perimeter and Spacer Bar **Performance Information** 5/8" SDL - With Spacer Bar - Stainless Product Performance Information is currently Rectangular - Special Cut 3W1H unavailable in the OMS for this product and Cashmere Clad Ext - Painted Interior Finish - White - Pine Int OMS Ver. 0003.17.00 (Current) Processed on: 11/10/2022 5:21:43 PM

Page 9 of 12

glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.

Ogee Interior Glazing Profile White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change

|--|

#### MARVIN<sup>®</sup>



RO 28 1/2" X 38" Egress Information Width: 23 29/32" Height: 13 11/16" Net Clear Opening: 2.27 SqFt Performance Information U-Factor: 0.29 Solar Heat Gain Coefficient: 0.18 Visible Light Transmittance: 0.41 Condensation Resistance: 56 CPD Number: MAR-N-425-17184-00001 ENERGY STAR: NC, SC, S **Cashmere Clad Exterior** Painted Interior Finish - White - Pine Interior Ultimate Double Hung G2 Frame Size 27 1/2" X 37 1/2" Rough Opening 28 1/2" X 38" Glass Add For All Sash/Panels \*\*\*Sash Ship Loose Top Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int Ogee Interior Glazing Profile Bottom Sash Cashmere Clad Sash Exterior Painted Interior Finish - White - Pine Sash Interior IG Low E3 w/Argon Stainless Perimeter and Spacer Bar 5/8" SDL - With Spacer Bar - Stainless Rectangular - Special Cut 2W1H Cashmere Clad Ext - Painted Interior Finish - White - Pine Int **Ogee Interior Glazing Profile** White Interior Weather Strip Package Beige Exterior Weather Strip Package White Sash Lock White Top Sash Strike Plate Assembly Color Aluminum Screen Cashmere Surround Bright View Mesh \*\*\*Screen/Combo Ship Loose 4 9/16" Jambs Nailing Fin \*\*\*Note: Unit Availability and Price is Subject to Change

Line #12 Qty: 1	Mark Unit: Delivery

Other	Delivery
Line #13	Mark Unit: Installation
Qty: 1	

Labor Installation

# **PRODUCT AND PERFORMANCE INFORMATION**

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.