

STARTING P.O.S #884
SPECIAL ORDER ITEM
ALL SALES FINAL
NO CREDIT AVAILABLE

SOLD BY:
84 Lumber Company #1938 San Antonio
1019 Rte 519
Ap Dept Bldg 3
Eighty Four, PA 15330
Fax: (210) 651-7238

SOLD TO:
RHINO
507 E HUISACHE
SAN ANTONIO, TX 78212

CREATED DATE
1/13/2026

LATEST UPDATE
1/13/2026

OWNER
Craig Knapp

Customer Quote - Pricing


QUOTE NAME	PROJECT NAME	QUOTE NUMBER	CUSTOMER PO#	TRADE ID
Unassigned Quote	Unassigned Project	8663564		

ORDER NOTES:

DELIVERY NOTES:

Line #	Description	Unit Price	Qty	Ext. Price
--------	-------------	------------	-----	------------

100-1 E-Series Double-Hung, Equal Sash, 36 x 61, UC:
TCLDH3051, Rigid Vinyl w/Receiver for Aluminum Drip
Cap, 4 9/16" Frame Depth, Limit Travel = Limit Lower Sash,
Lower Sash Clear Opening Height = 4", Ovolo Glass Stop
Profile, Canvas 2604 Exterior Frame, Canvas 2604 Exterior
Sash/Panel, Pine w/Unfinished Interior Frame, Pine
w/Unfinished Interior Sash/Panel, Jamb Liner White Jamb
Liner Inserts = Plastic Punched Jamb Liner = Yes Punched
Jamb Liner Inserts = Yes, Low-E4 SmartSun, Argon Filled,
Stainless Glass / Grille Spacer Color, Grilles: None,
Hardware: Sash Lift (Pair), White, 2 Sash Locks, White
Lock, Interior Ext Jamb, Standard Profile, 6 9/16", Pine,
Unfinished, Complete Unit Ext Jambs, Factory Applied,
Kerfed Extension Jamb = No, Side Wood Filler = No, Prep
for Stool = No, FSC Certified Wood = non-FSC Certified,
Visible Transmittance (VT) = 0.46, Condensation
Resistance (CR) = 54, Energy Rating (ER) = ---, Unit CPD
Number = AND-N-171-02521-00001, -US Energy Star-
Version:12/16/2025



\$1,176.14 4 \$4,704.56

Comments:

Room: GUEST & UPSTAIRS
BDRM

Line #	Description	Unit Price	Qty	Ext. Price
--------	-------------	------------	-----	------------


100-2 Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass
Canvas 2604

\$70.89 4 \$283.56

Comments:

Room: GUEST & UPSTAIRS
BDRM

Line #	Description	Unit Price	Qty	Ext. Price
200-1	E-Series Double-Hung, Equal Sash, 36 x 61, UC: TCLDH3051, Rigid Vinyl w/Receiver for Aluminum Drip Cap, 4 9/16" Frame Depth, Limit Travel = Limit Lower Sash, Lower Sash Clear Opening Height = 4", Ovolo Glass Stop Profile, Canvas 2604 Exterior Frame, Canvas 2604 Exterior Sash/Panel, Pine w/Unfinished Interior Frame, Pine w/Unfinished Interior Sash/Panel, Jamb Liner White Jamb Liner Inserts = Plastic Punched Jamb Liner = Yes Punched Jamb Liner Inserts = Yes, Low-E4 SmartSun, Tempered, Argon Filled, Stainless Glass / Grille Spacer Color, Grilles: None, Hardware: Sash Lift (Pair), White, 2 Sash Locks, White Lock, Interior Ext Jamb, Standard Profile, 6 9/16", Pine, Unfinished, Complete Unit Ext Jambs, Factory Applied, Kerfed Extension Jamb = No, Side Wood Filler = No, Prep for Stool = No, FSC Certified Wood = non-FSC Certified, Visible Transmittance (VT) = 0.46, Condensation Resistance (CR) = 53, Energy Rating (ER) = ---, Unit CPD Number = AND-N-171-02529-00001, -US Energy Star-, Version:12/16/2025	\$1,461.37	3	\$4,384.11



Comments:


Room: STAIRWELL

Line #	Description	Unit Price	Qty	Ext. Price
200-2	Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass Canvas 2604	\$70.89	3	\$212.67

Comments:

Room: STAIRWELL

Line #	Description	Unit Price	Qty	Ext. Price
300-1	E-Series Double-Hung, Mull using Number Wide, Units Wide: 2, Equal Sash, 72 1/2 x 61, Individual Dimensions = RO: 36 1/2" x 61 1/2" UNIT: 36" x 61", UC: TCLDH3051, Rigid Vinyl w/Receiver for Aluminum Drip Cap, 4 9/16" Frame Depth, Limit Travel = Limit Lower Sash, Lower Sash Clear Opening Height = 4", Ovolo Glass Stop Profile, Canvas 2604 Exterior Frame, Canvas 2604 Exterior Sash/Panel, Pine w/Unfinished Interior Frame, Pine w/Unfinished Interior Sash/Panel, Jamb Liner White Jamb Liner Inserts = Plastic Punched Jamb Liner = Yes Punched Jamb Liner Inserts = Yes, Low-E4 SmartSun, Argon Filled, Stainless Glass / Grille Spacer Color, Grilles: None, Hardware: Sash Lift (Pair), White, 2 Sash Locks, White Lock, Mull Depth = 5 3/16" Reinforced Mull, Interior Mull Trim Species = Pine, Exterior Mull Length = Shortened for Trim Metal Application, Continuous Reinforced Mull = Vertical, Interior Ext Jamb, Standard Profile, 6 9/16", Pine, Unfinished, Complete Unit Ext Jambs, Joined Combination Extension Jamb Configuration = Perimeter, Factory Applied, Kerfed Extension Jamb = No, Side Wood Filler = No, Prep for Stool = No, Mull Location = Andersen, Mull Material = 1/2 Inch Reinforced, Vertical Mull Priority, Ribbon Mull, FSC Certified Wood = non-FSC Certified, Visible Transmittance (VT) = 0.46, Condensation Resistance (CR) = 54, Energy Rating (ER) = ---, Unit CPD Number = AND-N-171-02521-00001, -US Energy Star-, Vertical, Factory Mull, 1/2 Inch Reinforced, Version:12/16/2025, Mull Config = 2	\$2,358.22	1	\$2,358.22



Comments:

Room: U/S MASTER BDRM

Line #	Description	Unit Price	Qty	Ext. Price
300-2	Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass Canvas 2604	\$70.89	1	\$70.89

Comments:


Room: U/S MASTER BDRM

Line #	Description	Unit Price	Qty	Ext. Price
300-3	Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass Canvas 2604	\$70.89	1	\$70.89

Comments:

Room: U/S MASTER BDRM

Line #	Description	Unit Price	Qty	Ext. Price
400-1	E-Series Double-Hung, Mull using Number Wide, Units Wide: 2, Equal Sash, 72 1/2 x 61, Individual Dimensions = RO: 36 1/2" x 61 1/2" UNIT: 36" x 61", UC: TCLDH3051, Rigid Vinyl w/Receiver for Aluminum Drip Cap, 4 9/16" Frame Depth, Limit Travel = Limit Lower Sash, Lower Sash Clear Opening Height = 4", Ovolo Glass Stop Profile, Canvas 2604 Exterior Frame, Canvas 2604 Exterior Sash/Panel, Pine w/Unfinished Interior Frame, Pine w/Unfinished Interior Sash/Panel, Jamb Liner White Jamb Liner Inserts = Plastic Punched Jamb Liner = Yes Punched Jamb Liner Inserts = Yes, Low-E4 SmartSun, Tempered, Argon Filled, Stainless Glass / Grille Spacer Color, Grilles: None, Hardware: Sash Lift (Pair), White, 2 Sash Locks, White Lock, Mull Depth = 5 3/16" Reinforced Mull, Interior Mull Trim Species = Pine, Exterior Mull Length = Shortened for Trim Metal Application, Continuous Reinforced Mull = Vertical, Interior Ext Jamb, Standard Profile, 6 9/16", Pine, Unfinished, Complete Unit Ext Jambs, Joined Combination Extension Jamb Configuration = Perimeter, Factory Applied, Kerfed Extension Jamb = No, Side Wood Filler = No, Prep for Stool = No, Mull Location = Andersen, Mull Material = 1/2 Inch Reinforced, Vertical Mull Priority, Ribbon Mull, FSC Certified Wood = non-FSC Certified, Visible Transmittance (VT) = 0.46, Condensation Resistance (CR) = 53, Energy Rating (ER) = --, Unit CPD Number = AND-N-171-02529-00001, -US Energy Star-, Vertical, Factory Mull, 1/2 Inch Reinforced, Version:12/16/2025, Mull Config = 2	\$2,928.68	1	\$2,928.68



Comments:

Room: SIDE WALL AT STAIRCASE

Line #	Description	Unit Price	Qty	Ext. Price
400-2	Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass Canvas 2604	\$70.89	1	\$70.89

Comments:

Room: SIDE WALL AT STAIRCASE

Line #	Description	Unit Price	Qty	Ext. Price
400-3	Insect Screen 1: E-Series Double-Hung, TCLDH3051 Full Fiberglass Canvas 2604	\$70.89	1	\$70.89

Comments:

Room: SIDE WALL AT STAIRCASE

*Note: windows are a swing
and aluminum clad on
the outside.*

STARTING P.O.S #884
SPECIAL ORDER ITEM
ALL SALES FINAL
NO CREDIT AVAILABLE

SUB-TOTAL:	\$15,155.36
FREIGHT:	\$0.00
LABOR:	\$0.00
TAX:	\$1,250.32
TOTAL:	\$16,405.68

CUSTOMER SIGNATURE _____ DATE _____

* All graphics as viewed from the exterior. ** Rough opening dimensions are minimums and may need to be increased to allow for use of building wraps or flashings or sill panning or brackets or fasteners or other items.

Thank you for choosing Andersen Windows & Doors